
























<p>MODEL 2903-2691</p> <p>WELD-ON Standard</p>  <p>PAINTED BLACK</p>  <p>8" / 202.5 MM 5-1/2" / 140 MM 3-9/16" / 90 MM 4-7/8" / 124 MM</p>	<p>MODEL 2903-2692</p> <p>SPECIAL ORDER ONLY WELD-ON Storage</p>  <p>PAINTED BLACK</p>  <p>8" / 202.5 MM 6-3/16" / 157 MM 3-9/16" / 90 MM 4-7/8" / 124 MM</p>	<p>MODEL 2903-2693</p> <p>WELD-ON Side Mount</p>  <p>PAINTED BLACK</p>  <p>8" / 202.5 MM 3-15/16" / 100 MM 4-3/8" / 110 MM 4-7/8" / 124 MM</p>
<p>SUB FOR: ANCRA 43563-10, KINEDYNE 1820, MULTIPRENS 1160 WEIGHT: 8.3 LBS / 3.8 Kg</p>	<p>SUB FOR: ANCRA 43573-10, KINEDYNE 1820S WEIGHT: 8.9 LBS / 4 Kg</p>	<p>SUB FOR: ANCRA 43579-20, KINEDYNE 7820, MULTIPRENS 1165 WEIGHT: 7.5 LBS / 3.4 Kg</p>
<p>MODEL 2903-2694</p> <p>BOLT-ON Standard</p>  <p>PAINTED BLACK</p>  <p>8" / 202.5 MM 5-1/2" / 140 MM 3-9/16" / 90 MM 4-7/8" / 124 MM</p>	<p>MODEL 2903-2695</p> <p>BOLT-ON Storage</p>  <p>PAINTED BLACK</p>  <p>8" / 202.5 MM 6-3/16" / 157 MM 3-9/16" / 90 MM 4-7/8" / 124 MM</p>	<p>MODEL 2903-2696</p> <p>BOLT-ON Side Mount</p>  <p>PAINTED BLACK</p>  <p>8" / 202.5 MM 3-15/16" / 100 MM 4-3/8" / 110 MM 4-7/8" / 124 MM</p>
<p>SUB FOR: ANCRA 43564-14, KINEDYNE 1820 P2, MULTIPRENS 1660 WEIGHT: 9 LBS / 4.1 Kg</p>	<p>SUB FOR: ANCRA 43564-12 WEIGHT: 9.95 LBS / 4.51 Kg</p>	<p>SUB FOR: ANCRA 43564-16, KINEDYNE 7820 P2, MULTIPRENS 1665 WEIGHT: 9.3 LBS / 4.2 Kg</p>
<p>MODEL 2903-2697</p> <p>SLIDER Standard</p>  <p>PAINTED BLACK</p>  <p>8" / 202.5 MM 5-1/2" / 140 MM 3-15/16" / 100 MM 4-7/8" / 124 MM</p>	<p>MODEL 2903-2698</p> <p>SLIDER Storage</p>  <p>PAINTED BLACK</p>  <p>8" / 202.5 MM 6-7/8" / 175 MM 3-15/16" / 100 MM 4-7/8" / 124 MM</p>	<p>MODEL 2903-2699</p> <p>SLIDER Deep Storage</p>  <p>PAINTED BLACK</p>  <p>8" / 202.5 MM 7-1/2" / 190 MM 3-15/16" / 100 MM 4-7/8" / 124 MM</p>
<p>SUB FOR: ANCRA 43565-15, KINEDYNE 3820, MULTIPRENS 1760 WEIGHT: 8.2 LBS / 3.7 Kg</p>	<p>WEIGHT: 11 LBS / 5 Kg</p>	<p>SUB FOR: ANCRA 43565-12, KINEDYNE 5820, MULTIPRENS 1765 WEIGHT: 10.6 LBS / 4.8 Kg</p>

NOTE: FOR LOAD SECURING ONLY, **NOT FOR LIFTING.**
ALL WINCH AND STRAP ASSEMBLIES SHOULD BE INSPECTED FOR FRAYS, CUTS, OR DAMAGED HARDWARE BEFORE AND AFTER USING.

WORKING LOAD LIMIT (WLL): 5,000 LBS / 2,267 Kg
BREAK STRENGTH (BS): 15,000 LBS / 6,800 Kg
DESIGNED TO MEET OR EXCEED WSTDA T-3 STANDARD.

<p>MODEL 2903-2798 WEB WINCH, LEG BRACKET for 4" webbing, Side Mount, Weld-on</p>  <p>PAINTED BLACK</p>  <p>7-15/16" / 201.5 MM 4-15/16" / 125.6 MM 4-13/16" / 121.75 MM 4-5/8" / 118.4 MM</p>	<p>RAIL FOR SLIDING WINCHES</p> <p>MODEL 2903-2471 LENGTH: 19-1/2" / 495.3 MM WEIGHT: 11.4 LBS / 5.2 Kg</p>  <p>1/4" / 6.4 MM 4-3/4" / 119 MM 1-3/4" / 44.5 MM</p>	
<p>FITS: ISO FLATRACKS SUB FOR: ANCRA 41691-12, KINEDYNE 12004 WEIGHT: 8.1 LBS / 3.67 Kg</p>	<p>MATERIAL: FAB. STEEL FINISH: SELF-COLOR</p>	
<p>MODEL 2903-8665 WEB WINCH, SLIDER w/ Double-L Track Cutout for 4" webbing, Weld-on</p> <p>PAINTED BLACK</p>   <p>3-15/16" / 100 MM 5-15/16" / 150 MM 3-7/16" / 87 MM 8" / 202.5 MM 4-7/8" / 124 MM 5/16" / 8 MM</p>		
<p>FITS: MANAC SUB FOR: KINEDYNE 1020 WEIGHT: 8.7 LBS / 3.95 Kg</p>		

NOTE: FOR LOAD SECURING ONLY, **NOT FOR LIFTING.**
 ALL WINCH AND STRAP ASSEMBLIES SHOULD BE
 INSPECTED FOR FRAYS, CUTS, OR DAMAGED
 HARDWARE BEFORE AND AFTER USING.

WORKING LOAD LIMIT (WLL): 5,000 LBS / 2,267 Kg
BREAK STRENGTH (BS): 15,000 LBS / 6,800 Kg
 DESIGNED TO MEET OR EXCEED WSTDA T-3 STANDARD.



WINCH BARS


ISO FLATRACK, FLATBED & AUTO TRAILERS

MODEL 2903-6345-B



MODEL 2903-6345-C

COMBINATION

HIGH-STRENGTH TIP



KNURLED HANDLE GRIPS



AVAILABLE BLACK-PAINTED or CHROME-PLATED

SUB FOR: ANCRA 42313-19 CH,
42313-20 BL; KINEDYNE 37033 CH
MATERIAL: STEEL
FINISH: BLACK (B) or CHROME (C)
WEIGHT: 7.45 LBS / 3.38 Kg

BUFFERS USA INC

"The Intermodal Hardware Specialists"

2903-3



904-696-0010

E-mail: sales@buffersusa.com